



Keep Going™

Energizer®



EA95-L5
595 901 085
12 V 95 Ah 850 A(EN)



Energizer

Energizer

**PREMIUM
AGM**

EA95-L5

595 901 085 · 12 V 95 Ah 850 A(EN)

MANUFACTURED AND DISTRIBUTED BY JENSEN CONTROL BATTERY GROUP INC.
© 2005 JENSEN CONTROL BATTERY GROUP INC.

Keep Going™

Life is one long journey, and a car is your ticket to freedom. Nowhere else do you have such an intense feeling of liberating yourself as behind the wheel. Every mile counts, be it country lanes or motorways. So experience unlimited freedom. Experience the open road – with starter batteries from Energizer®.

They provide everything a vehicle, driver, retailer and mechanic could want from a starter battery. There's more power for almost every car and every demand. In short, Energizer® will take you further than other batteries with its maximum safety, top performance and legendary stamina. Whether you're fitting NASA rockets or a city car, Energizer® batteries provide reliable energy everywhere from the all-encompassing cold of space to the sweltering heat of the desert.

The cars of today are high-tech wonders. They are packed with electronic aids to enhance comfort and safety. But, the countless electric consumers pose a challenge to the electrical supply – a challenge which the Energizer® Premium AGM meets in every way. The electrolyte is fixed in a micro-glass fleece, which means the cell volume can be used to the maximum, resulting in increased starting power, best in class endurance, and vibration resistance.

This advanced combination of a high-performance starter battery and an energy supply is the perfect choice whenever long life and constant energy supply are essential. The AGM technology proves its worth above all on short journeys, in stationary or city use and in slow-moving traffic. These batteries pass with flying colours where others fail – and guarantee a constant supply for all on-board electrics. No wonder as all the vehicle manufacturers are turning to this robust technology for their 'stop –start' micro-hybrid cars.

Energize your business.

Choose Energizer® and benefit from a strong brand and complete retailer support:

- + Suitable for virtually all cars in the market
- + Can be stocked for longer, thanks to extended shelf life
- + Streamlined range for easy stocking and maximum coverage
- + Comprehensive sales support package
- + Wide range of terminal/base hold down adapters
- + Strong end user brand awareness
- + Offers maximum profit opportunities

Top reasons for choosing Energizer® Premium AGM.

Energize to the Max.

- + Excellent cycle stability and endurance
- + 2x faster recharge acceptance vs traditional batteries
- + Sealed system – fully maintenance-free
- + Large power reserves for cold starts
- + Extremely resistant to vibrations
- + Pressure valve system for complete safety
- + 100% spill and leak proof
- + The perfect battery for taxis high energy use applications

Full power everytime. For every car.

The car is the epitome of individual mobility, regardless of whether it is a compact car, estate car or luxury saloon, or whether it is a prized possession or simply a means of transportation. It is not the type of car that matters, but the independence it affords.

Energizer® car batteries not only ensure reliable, lasting starting power in outer space – but also in every type of car, whether unique or vintage, thanks to a flexible, compact, patented adapter. Energizer car batteries more than live up to their reputation as a premium brand thanks to functionally optimised design and tried-and-tested technology.

Top reasons for choosing Energizer® car starter batteries.

The Energizer® Premium

- + Fully charged and ready for use
- + Increased starting power
- + Extremely long life
- + Fully maintenance-free
- + CA100 technology
- + Ideal for 14.8-volt smart charge power supply
- + Advanced safety lid with integral flame arrestors
- + Central degassing and single point venting for added safety
- + Up to 18 month shelf life
- + Attractive design

The Energizer® Plus

- + Fully charged and ready for use
- + Longer life
- + Maintenance-free
- + Calcium-calcium technology
- + Comprehensive range
- + Suitable for 14.4 volt power supply
- + Advanced safety lid with integral flame arrestors
- + Central degassing and single point venting for added safety
- + Up to 15 month shelf life

The Energizer®

- + Fully charged and ready for use
- + Maintenance-free
- + Calcium technology
- + Safety lid
- + Central degassing
- + Designed for older '10yr +' vehicles
- + Can be stored for up to 12 months



Energizer® Plus



Energizer®

Ready for lift-off. Anytime. Commercial vehicle batteries.



Reliability is everything when you need to get going quickly, whether for short distances in buses and construction vehicles or for longer trips. Energizer® commercial vehicle starter batteries get any commercial vehicle going – and keep your business running. Our two product ranges provide the right product for all applications, performance needs and cycle requirements.

They are perfect for heavy-duty use, from the ultra stable, impact-proof plastic casing to the high-performance specifications, specially designed for higher endurance demands. Not to mention the key benefit: maximum power, every time.

Top reasons for choosing Energizer® starter batteries for commercial vehicles.

The Energizer® Premium Truck

- + Extreme cycle endurance
- + Fully maintenance-free
- + Ultra long life
- + Best in class protection against spill and leakage
- + Optimised power for guaranteed starting in all temperatures
- + Outstanding recharge acceptance
- + Highest vibration resistance – V3 rating
- + Labyrinth safety lid – with central degassing, integral flame arrestors

The Energizer® Truck

- + Improved starting performance
- + Higher cyclic stability
- + Extreme vibration resistance
- + Improved charge acceptance, higher starting and capacity reserves
- + Effective protection against leakage, up to 90° tilt
- + Maintenance-free to EN 50342 and EN 60095



Energizer® Truck

No time out for leisure.

With a constant drain on power, variable charging cycles and heavy use for short periods, leisure equipment such as boats, camper vans and golf carts places especially high demands on batteries.

The Energizer® Deep Cycle and Starting is the best choice whenever a reliable energy supply is needed away from the mains. It provides electricity just like a wall socket – a consistently strong supply for long periods, Ready to use, despite being used in extreme cycles. Because there's no time out for leisure.

Top reasons for choosing Energizer® Deep Cycle – Leisure & Marine.

Energize your spare time.

- + Very long service life
- + Consistent and reliable performance, even when used in extreme cycles
- + Up to 70% depth of discharge cycle range
- + Improved recharge acceptance
- + Low-maintenance



Battery specification

ETN	Short code	UK reference	Voltage (V)	Capacity 20h	A [EN]	Length (mm)	Width (mm)	Height (mm)	Layout	Polarity	Hold down
-----	------------	--------------	-------------	--------------	--------	-------------	------------	-------------	--------	----------	-----------

Energizer® Premium AGM

570 901 076	EA70-L3	096AGM	12	70	760	278	175	190	0	1	B13
595 901 085	EA95-L5	019AGM	12	95	850	353	175	190	0	1	B13

Energizer® Premium

544 402 044	EM44-LB1	063	12	44	440	207	175	175	0	1	B13
554 400 053	EM54-L1	079	12	54	530	207	175	190	0	1	B13
560 409 054	EM60-LB2	075	12	60	540	242	175	175	0	1	B13
563 400 061	EM63-L2	027	12	63	610	242	175	190	0	1	B13
572 409 068	EM72-LB3	100	12	72	680	278	175	175	0	1	B13
577 400 078	EM77-LB1	096	12	77	780	278	175	190	0	1	B13
580 406 074	EM80-LB4	110	12	80	740	315	175	175	0	1	B13
600 402 083	EM100-L5	019	12	100	830	353	175	190	0	1	B13

Energizer® Plus

535 118 030	EP35J-TP	054	12	35	300	187	127	227	0	3	B00
535 119 030	EP35JX-TP	055	12	35	300	187	127	227	1	3	B00
540 406 034	EP40-L0	202	12	40	340	175	175	190	0	1	B13
541 400 036	EP41-LB1	063	12	41	360	207	175	175	0	1	B13
545 155 033	EP45J-TP	156	12	45	330	238	129	227	0	3	B00
545 157 033	EP45JX-TP	155	12	45	330	238	129	227	1	3	B00
552 400 047	EP52-L1	079	12	52	470	207	175	190	0	1	B13
553 400 047	EP53-LB2	075	12	53	470	242	175	175	0	1	B13
560 127 054	EP60-L2X	078	12	60	540	242	175	190	1	1	B13
560 408 054	EP60-L2	027	12	60	540	242	175	190	0	1	B13
560 412 051	EP60J	005	12	60	510	232	173	225	0	1	B00
560 413 051	EP60JX	014	12	60	510	232	173	225	1	1	B00
568 404 055	EP68J	068	12	68	550	261	175	220	0	1	B01
568 405 055	EP68JX	072	12	68	550	261	175	220	1	1	B01
570 144 064	EP70-LB3	100	12	70	640	278	175	175	0	1	B13
570 410 064	EP70-L3X	086	12	70	640	278	175	190	1	1	B13
574 104 068	EP74-L3	067	12	74	680	278	175	190	0	1	B13
591 400 074	EP91J	335	12	91	740	306	173	225	0	1	B01
591 401 074	EP91JX	334	12	91	740	306	173	225	1	1	B01
595 402 080	EP95-L5	017	12	95	800	353	175	190	0	1	B13


Energizer®

535 400 033	E-LB1 330	063	12	35	330	207	175	175	0	1	B13
545 106 030	E-E2 300	048	12	45	300	219	135	225	0	1	B01
545 107 030	E-E2X 300	049	12	45	300	219	135	225	1	1	B01
545 412 040	E-L1 400	079	12	45	400	207	175	190	0	1	B13
545 413 040	E-L1X 400	077	12	45	400	207	175	190	1	1	B13
550 403 044	E-LB2 440	065	12	50	440	242	175	175	0	1	B13
556 400 048	E-L2 480	027	12	56	480	242	175	190	0	1	B13
556 401 048	E-L2X 480	078	12	56	480	242	175	190	1	1	B13
568 403 057	E-LB3 570	100	12	68	570	278	175	175	0	1	B13
570 409 064	E-L3 640	067	12	70	640	278	175	190	0	1	B13
583 400 072	E-LB5 720	024	12	83	720	353	175	175	0	1	B13
590 122 072	E-L5 720	017	12	90	720	353	175	190	0	1	B13

Energizer® Premium Truck

640 400 080	EP140-A	627HD	12	140	800	513	189	223	3	1	B03
670 103 100	EP170-B	629HD	12	170	1000	513	223	223	3	1	B00
680 108 100	EP180-B SHD	629SHD	12	180	1000	513	223	223	3	1	B00
725 103 115	EP225-C SHD	625SHD	12	225	1150	518	276	242	3	1	B00

Polarity



ETN	Short code	UK reference	Voltage (V)	Capacity 20h	A [EN]	Length (mm)	Width (mm)	Height (mm)	Layout	Polarity	Hold down
-----	------------	--------------	-------------	--------------	--------	-------------	------------	-------------	--------	----------	-----------


Energizer® Commercial

555 064 042	EC55	027 VP	12	55	420	242	175	190	0	1	B13
566 047 051	EC66	067 VP	12	66	510	278	175	190	0	1	B13
588 038 068	EC88	017 VP	12	88	680	353	175	190	0	1	B13
590 040 048	EC90-L0T	643	12	90	480	347	173	234	0	1	B00
590 041 048	EC90-L0TX	644	12	90	480	347	173	234	1	1	B00
600 047 060	EC100-D	221	12	100	600	413	175	220	0	1	B00
600 123 072	EC100-GB28	n/a	12	100	720	313	175	205	0	1	B03
602 102 068	EC102-GR31	GRP31	12	102	680	330	172	240	9	1	B01
602 103 068	EC102-GR31A	GRP31A	12	102	680	330	172	240	9	8	B01
610 013 076	EC110-MAC	615	12	110	760	514	175	210	3	1	B03
610 047 068	EC110-L0T	663	12	110	680	347	173	234	0	1	B00
610 048 068	EC110-L0TX	664	12	110	680	347	173	234	1	1	B00
610 050 085	EC110-D	221	12	110	850	413	175	220	0	1	B03
620 045 068	EC120-A	627	12	120	680	513	189	223	3	1	B00
620 109 076	EC120-MAC	323	12	120	760	510	175	235	4	1	B03
625 012 072	EC125-WOR	647	12	125	720	349	175	290	0	1	B00
625 014 072	EC125-WORX	648	12	125	720	349	175	290	1	1	B00
635 042 068	EC135-12C	633	12	135	680	360	253	240	6	1	B11
635 052 100	EC135-MAC	615HD	12	135	1000	514	175	210	3	1	B03
640 035 076	EC140-A	627HD	12	140	760	513	189	223	3	1	B00
640 036 076	EC140-AB	630	12	140	760	513	189	223	3	1	B03
643 033 095	EC143-MAC	n/a	12	143	950	514	214	210	3	1	B03
643 107 090	EC143-MT	n/a	12	143	900	508	174	205	0	1	B01
655 013 090	EC155-B	629	12	155	900	513	223	223	3	1	B00
655 104 090	EC155-MAC	623	12	155	900	510	218	230	4	1	B03
670 043 100	EC170-B	629HD	12	170	1000	513	223	223	3	1	B00
670 045 100	EC170-BA	620	12	170	1000	513	223	223	3	1	B03
670 046 110	EC170-BX	623HD	12	170	1100	510	218	230	4	1	B03
700 038 105	EC200-C	625	12	200	1050	518	276	242	3	1	B00


Energizer® Deep Cycle & Starting

812 070 000	EDC9	678	12	75	272	175	225	1	1	1	B01
813 010 000	EDC10	679	12	110	347	173	234	0	1	1	B00
918 001 000	EDC1	n/a	6	240	244	190	275	0	1	1	B00
955 002 000	EDC2	n/a	12	60	246	175	190	0	1	1	B03
955 051 000	EDC3	n/a	12	70	260	175	225	0	1	1	B07
956 002 000	EDC4	n/a	12	80	278	175	190	0	1	1	B03
957 052 000	EDC5	n/a	12	90	353	175	190	0	1	1	B03
960 051 000	EDC6	n/a	12	130	513	189	223	3	1	1	B00
963 051 000	EDC7	n/a	12	180	513	223	223	3	1	1	B00
968 001 000	EDC8	n/a	12	230	518	276	242	3	1	1	B00

Layout



Hold down



Energizer®