



Pinnoitetut varsijyrsimet
Malli F1304 Granit Dry PM


DIN 844B

- 3-leikkuinen Z3
- Poraava
- Weldon varsi
- Pulveri pikateräs
- Ti2CN pinnoitettu
- Urajyrsintä
- Viimeistely



- Leikkuumuoto
- Normi
- Nousukulma
- Leikkuukulma

N
DIN 844B
30°
12°



Tuotenro:	d1 mm	d2 mm	l2 mm	l1 mm
F1304-2	2,0	6,0	7,0	51,0
F1304-3	3,0	6,0	8,0	52,0
F1304-4	4,0	6,0	11,0	55,0
F1304-5	5,0	6,0	13,0	57,0
F1304-6	6,0	6,0	13,0	57,0
F1304-7	7,0	8,0	16,0	60,0
F1304-8	8,0	8,0	19,0	63,0
F1304-9	9,0	10,0	19,0	69,0
F1304-10	10,0	10,0	22,0	72,0
F1304-11	11,0	12,0	22,0	79,0
F1304-12	12,0	12,0	26,0	83,0
F1304-14	14,0	12,0	26,0	83,0
F1304-16	16,0	16,0	32,0	92,0
F1304-18	18,0	16,0	32,0	92,0
F1304-20	20,0	20,0	38,0	104,0
F1304-25	25,0	25,0	45,0	121,0



Pinnoitetut varsijyrsimet
Malli F1404.1 Granit Dry PM


DIN 844B

- Monileikkuinen Z4
- Poraava
- Weldon varsi
- Pulveri pikateräs
- Ti2CN pinnoitettu
- Urajyrsintä
- Viimeistely



- Leikkuumuoto
- Normi
- Nousukulma
- Leikkuukulma

N
DIN 844B
35°
12°



Tuotenro:	d1 mm	d2 mm	l2 mm	l1 mm	Z
F1404.1-3	3,0	6,0	8,0	52,0	4
F1404.1-4	4,0	6,0	11,0	55,0	4
F1404.1-5	5,0	6,0	13,0	57,0	4
F1404.1-6	6,0	6,0	13,0	57,0	4
F1404.1-8	8,0	8,0	19,0	63,0	4
F1404.1-9	9,0	10,0	19,0	69,0	4
F1404.1-10	10,0	10,0	22,0	72,0	4
F1404.1-11	11,0	12,0	22,0	79,0	4
F1404.1-12	12,0	12,0	26,0	83,0	4
F1404.1-13	13,0	12,0	26,0	83,0	4
F1404.1-14	14,0	12,0	26,0	83,0	4
F1404.1-15	15,0	12,0	26,0	83,0	4
F1404.1-16	16,0	16,0	32,0	92,0	4
F1404.1-17	17,0	16,0	32,0	92,0	4
F1404.1-18	18,0	16,0	32,0	92,0	4
F1404.1-19	19,0	16,0	32,0	92,0	4
F1404.1-20	20,0	20,0	38,0	104,0	4
F1404.1-25	25,0	25,0	45,0	121,0	5



Pinnoitetut varsijyrsimet
Malli F1404.3 Granit Dry PM


DIN 844B

- Monileikkuinen Z4
- Poraava, pitkä malli
- Weldon varsi
- Pulveri pikateräs
- Ti2CN pinnoitettu
- Urajyrsintä
- Viimeistely



- Leikkuumuoto
- Normi
- Nousukulma
- Leikkuukulma

N
Usine
35°
12°



Tuotenro:	d1 mm	d2 mm	l2 mm	l1 mm	Z
F1404.3-6	6,0	6,0	19,0	63,0	4
F1404.3-8	8,0	10,0	28,0	78,0	4
F1404.3-10	10,0	10,0	34,0	84,0	4
F1404.3-12	12,0	12,0	40,0	97,0	4
F1404.3-14	14,0	12,0	40,0	97,0	4
F1404.3-16	16,0	16,0	48,0	108,0	4
F1404.3-18	18,0	16,0	48,0	108,0	4
F1404.3-20	20,0	20,0	56,0	122,0	4
F1404.3-25	25,0	25,0	68,0	144,0	4
F1404.1-32	32,0	32,0	53,0	133,0	6



B


Pinnoitetut varsijysimet
Malli F1404.5 Granit Dry PM

DIN 844B

- Monileikkuinen Z4
- Poraava
- Erikoispitkä malli
- Weldon varsi
- Pulveri pikateräs
- Ti2CN pinnoitettu
- Urajysintä
- Viimeistely



- Leikkumuoto N
- Normi DIN 844B
- Nousukulma 35°
- Leikkukulma 12°



Tuotenro:	d1 mm	d2 mm	l2 mm	l1 mm	Z
F1404.5-6	6,0	6,0	24,0	68,0	4
F1404.5-8	8,0	8,0	38,0	82,0	4
F1404.5-10	10,0	10,0	45,0	95,0	4
F1404.5-12	12,0	12,0	53,0	110,0	4
F1404.5-14	14,0	12,0	53,0	110,0	4
F1404.5-16	16,0	16,0	63,0	123,0	4
F1404.5-18	18,0	16,0	63,0	123,0	4
F1404.5-20	20,0	20,0	75,0	141,0	4
F1404.5-25	25,0	25,0	90,0	166,0	5
F1404.5-32	32,0	32,0	106,0	186,0	5



B


Pinnoitetut rouhintavarsijysimet
Malli F1484.1 Granit Dry PM

DIN 844B

- Monileikkuinen Z4
- Poraava
- Weldon varsi
- Pulveri pikateräs
- Ti2CN pinnoitettu



- Leikkumuoto HR
- Normi DIN 844B
- Nousukulma 27°
- Leikkukulma 10°



Tuotenro:	d1 mm	d2 mm	l2 mm	l1 mm	Z
F1484.1-5	5,0	6,0	13,0	57,0	4
F1484.1-6	6,0	6,0	13,0	57,0	4
F1484.1-7	7,0	8,0	16,0	60,0	4
F1484.1-8	8,0	8,0	19,0	63,0	4
F1484.1-9	9,0	10,0	19,0	69,0	4
F1484.1-10	10,0	10,0	22,0	72,0	4
F1484.1-11	11,0	12,0	22,0	79,0	4
F1484.1-12	12,0	12,0	26,0	83,0	4
F1484.1-13	13,0	12,0	26,0	83,0	4
F1484.1-14	14,0	12,0	26,0	83,0	4
F1484.1-15	15,0	12,0	26,0	83,0	4
F1484.1-16	16,0	16,0	32,0	92,0	4
F1484.1-17	17,0	16,0	32,0	92,0	4
F1484.1-18	18,0	16,0	32,0	92,0	4
F1484.1-19	19,0	16,0	32,0	92,0	4
F1484.1-20	20,0	20,0	38,0	104,0	4
F1484.1-25	25,0	25,0	45,0	121,0	4
F1484.1-32	32,0	32,0	53,0	133,0	6



B


Pinnoitetut rouhintavarsijysimet
Malli F1484.3 Granit Dry PM

DIN 844B

- Monileikkuinen Z4
- Pitkä malli
- Poraava
- Weldon varsi
- Pulveri pikateräs
- Ti2CN pinnoitettu



- Leikkumuoto HR
- Normi DIN 844B
- Nousukulma 27°
- Leikkukulma 10°



Tuotenro:	d1 mm	d2 mm	l2 mm	l1 mm	Z
F1484.3-6	6,0	6,0	19,0	63,0	4
F1484.3-8	8,0	10,0	28,0	78,0	4
F1484.3-10	10,0	10,0	34,0	84,0	4
F1484.3-12	12,0	12,0	40,0	97,0	4
F1484.3-14	14,0	12,0	40,0	97,0	4
F1484.3-16	16,0	16,0	48,0	108,0	4
F1484.3-18	18,0	16,0	48,0	108,0	4
F1484.3-20	20,0	20,0	56,0	122,0	4
F1484.3-25	25,0	25,0	68,0	144,0	4



Pinnoitetut rouhintavarsijyrsimet


Malli F1484.5 Granit Dry PM

DIN 844B

- Monileikkuinen Z4
- Erikoispitkä malli
- Poraava
- Weldon varsi
- Pulveri pikateräs
- Ti2CN pinnoitettu



- Leikkumuoto HR
- Normi DIN 844B
- Nousukulma 27°
- Leikkukulma 10°




Tuotenro:	d1 mm	d2 mm	l2 mm	l1 mm	Z	€ Alv 0%
F1484.5-6	6,0	6,0	24,0	68,0	4	72,00
F1484.5-8	8,0	8,0	38,0	82,0	4	92,00
F1484.5-10	10,0	10,0	45,0	95,0	4	92,00
F1484.5-12	12,0	12,0	53,0	110,0	4	103,00
F1484.5-14	14,0	12,0	53,0	110,0	4	150,00
F1484.5-16	16,0	16,0	63,0	123,0	4	142,00
F1484.5-18	18,0	16,0	63,0	123,0	4	192,00
F1484.5-20	20,0	20,0	75,0	141,0	4	208,00
F1484.5-25	25,0	25,0	90,0	166,0	4	331,00
F1484.5-32	32,0	32,0	106,0	186,0	6	477,00

JYRSINSARJAT: Vallorbinox • GranitAL • Granit Dry PM

5 jyrsimen sarjat 6•8•10•12•16 mm ruuvipurkeissa

- Konekohtaiseen varustukseen toimiva ratkaisu
- Mukana työstöarvotaulukot



VARSIJYRSIMET VALLORBINOX

Tuotenro: F9313.1

Hinta: 276,00 € Alv 0%

Sisältö:	d1 mm	d2 mm	l2 mm	l1 mm	Z
F1313-6	6,0	6,0	13,0	57,0	3
F1313-8	8,0	10,0	19,0	69,0	3
F1313-10	10,0	10,0	22,0	72,0	3
F1313-12	12,0	12,0	26,0	83,0	3
F1313-16	16,0	16,0	32,0	92,0	3

ROUHINTAVARSIJYRSIMET VALLORBINOX

Tuotenro: F9373.1

Hinta: 357,00 € Alv 0%

Sisältö:	d1 mm	d2 mm	l2 mm	l1 mm	Z
F1373.1-6	6,0	6,0	13,0	57,0	3
F1373.1-8	8,0	10,0	19,0	69,0	3
F1373.1-10	10,0	10,0	22,0	72,0	3
F1373.1-12	12,0	12,0	26,0	83,0	3
F1373.1-16	16,0	16,0	32,0	92,0	3

VARSIJYRSIMET GRANIT DRY PM

Tuotenro: F9404.1

Hinta: 202,00 € Alv 0%

Sisältö:	d1 mm	d2 mm	l2 mm	l1 mm	Z
F1404.1-6	6,0	6,0	13,0	57,0	4
F1404.1-8	8,0	10,0	19,0	69,0	4
F1404.1-10	10,0	10,0	22,0	72,0	4
F1404.1-12	12,0	12,0	26,0	83,0	4
F1404.1-16	16,0	16,0	32,0	92,0	4

ROUHINTAVARSIJYRSIMET GRANIT DRY PM

Tuotenro: F9484.1

Hinta: 336,00 € Alv 0%

Sisältö:	d1 mm	d2 mm	l2 mm	l1 mm	Z
F1484.1-6	6,0	6,0	13,0	57,0	4
F1484.1-8	8,0	10,0	19,0	69,0	4
F1484.1-10	10,0	10,0	22,0	72,0	4
F1484.1-12	12,0	12,0	26,0	83,0	4
F1484.1-16	16,0	16,0	32,0	92,0	4

VARSIJYRSIMET GRANIT AL

Tuotenro: F9322.1

Hinta: 321,00 € Alv 0%

Sisältö:	d1 mm	d2 mm	l2 mm	l1 mm	Z
F1322-6	6,0	6,0	13,0	57,0	3
F1322-8	8,0	10,0	19,0	69,0	3
F1322-10	10,0	10,0	22,0	72,0	3
F1322-12	12,0	12,0	26,0	83,0	3
F1322-16	16,0	16,0	32,0	92,0	3

ROUHINTAVARSIJYRSIMET GRANIT AL

Tuotenro: F9322.4

Hinta: 377,00 € Alv 0%

Sisältö:	d1 mm	d2 mm	l2 mm	l1 mm	Z
F1322.4-6	6,0	6,0	13,0	57,0	3
F1322.4-8	8,0	10,0	19,0	69,0	3
F1322.4-10	10,0	10,0	22,0	72,0	3
F1322.4-12	12,0	12,0	26,0	83,0	3
F1322.4-16	16,0	16,0	32,0	92,0	3