

Kierukkaporat DIN 338 HSS



Tunnus 1 21 02
DIN 338
Malli N
Laatu HSS
Pintakäsittely Mustaoksidointi
Valm.menetelmä Valssattu

1 21 02	Ø	L ¹	L ²	€
Tuoteno:	mm	mm	mm	Alv 0%
12102-00,3	0,30	19	3,0	1,35
12102-00,4	0,40	20	5,0	1,35
12102-00,5	0,50	22	6,0	1,35
12102-00,6	0,60	24	7,0	1,35
12102-00,7	0,70	28	9,0	1,00
12102-00,8	0,80	30	10,0	1,00
12102-00,9	0,90	32	11,0	1,00
12102-01	1,00	34	12,0	0,85
12102-01,1	1,10	36	14,0	0,85
12102-01,2	1,20	38	16,0	0,85
12102-01,3	1,30	38	16,0	0,85
12102-01,4	1,40	40	18,0	0,85
12102-01,5	1,50	40	18,0	0,65
12102-01,6	1,60	43	20,0	0,85
12102-01,7	1,70	43	20,0	0,85
12102-01,8	1,80	46	22,0	0,85
12102-01,9	1,90	46	22,0	0,85
12102-02	2,00	49	24,0	0,70
12102-02,1	2,10	49	24,0	0,85
12102-02,2	2,20	53	27,0	0,85
12102-02,3	2,30	53	27,0	0,85
12102-02,4	2,40	57	30,0	0,85
12102-02,5	2,50	57	30,0	0,70
12102-02,6	2,60	57	30,0	0,90
12102-02,7	2,70	61	33,0	0,90
12102-02,8	2,80	61	33,0	0,90
12102-02,9	2,90	61	33,0	0,90
12102-03	3,00	61	33,0	0,85
12102-03,1	3,10	65	36,0	0,90
12102-03,2	3,20	65	36,0	0,90
12102-03,3	3,30	65	36,0	0,90
12102-03,4	3,40	70	39,0	0,95
12102-03,5	3,50	70	39,0	0,90
12102-03,6	3,60	70	39,0	0,95
12102-03,7	3,70	70	39,0	0,95
12102-03,8	3,80	75	43,0	0,95
12102-03,9	3,90	75	43,0	0,95
12102-04	4,00	75	43,0	0,90
12102-04,1	4,10	75	43,0	1,10
12102-04,2	4,20	75	43,0	1,10
12102-04,3	4,30	80	47,0	1,15
12102-04,4	4,40	80	47,0	1,15
12102-04,5	4,50	80	47,0	1,00
12102-04,6	4,60	80	47,0	1,20
12102-04,7	4,70	80	47,0	1,20

1 21 02	Ø	L ¹	L ²	€
Tuoteno:	mm	mm	mm	Alv 0%
12102-04,8	4,80	86	52,0	1,30
12102-04,9	4,90	86	52,0	1,30
12102-05	5,00	86	52,0	1,05
12102-05,1	5,10	86	52,0	1,45
12102-05,2	5,20	86	52,0	1,45
12102-05,3	5,30	86	52,0	1,45
12102-05,4	5,40	93	57,0	1,55
12102-05,5	5,50	93	57,0	1,40
12102-05,6	5,60	93	57,0	1,60
12102-05,7	5,70	93	57,0	1,60
12102-05,8	5,80	93	57,0	1,60
12102-05,9	5,90	93	57,0	1,65
12102-06	6,00	93	57,0	1,40
12102-06,1	6,10	101	63,0	1,80
12102-06,2	6,20	101	63,0	1,80
12102-06,3	6,30	101	63,0	1,80
12102-06,4	6,40	101	63,0	1,90
12102-06,5	6,50	101	63,0	1,70
12102-06,6	6,60	101	63,0	1,95
12102-06,7	6,70	101	63,0	1,95
12102-06,8	6,80	109	69,0	1,95
12102-06,9	6,90	109	69,0	1,95
12102-07	7,00	109	69,0	1,80
12102-07,1	7,10	109	69,0	2,25
12102-07,2	7,20	109	69,0	2,25
12102-07,3	7,30	109	69,0	2,25
12102-07,4	7,40	109	69,0	2,25
12102-07,5	7,50	109	69,0	2,10
12102-07,6	7,60	117	75,0	2,55
12102-07,7	7,70	117	75,0	2,55
12102-07,8	7,80	117	75,0	2,55
12102-07,9	7,90	117	75,0	2,55
12102-08	8,00	117	75,0	2,20
12102-08,1	8,10	117	75,0	2,65
12102-08,2	8,20	117	75,0	2,65
12102-08,3	8,30	117	75,0	2,80
12102-08,4	8,40	117	75,0	2,80
12102-08,5	8,50	117	75,0	2,60
12102-08,6	8,60	125	81,0	3,50
12102-08,7	8,70	125	81,0	3,50
12102-08,8	8,80	125	81,0	3,50
12102-08,9	8,90	125	81,0	3,50
12102-09	9,00	125	81,0	3,10
12102-09,1	9,10	125	81,0	3,50
12102-09,2	9,20	125	81,0	3,50
12102-09,3	9,30	125	81,0	3,50
12102-09,4	9,40	125	81,0	3,50
12102-09,5	9,50	125	81,0	3,30
12102-09,6	9,60	133	87,0	3,65
12102-09,7	9,70	133	87,0	3,65
12102-09,8	9,80	133	87,0	4,00
12102-09,9	9,90	133	87,0	4,00
12102-10	10,00	133	87,0	3,50
12102-10,1	10,10	133	87,0	5,85
12102-10,2	10,20	133	87,0	4,20
12102-10,3	10,30	133	87,0	5,90
12102-10,4	10,40	133	87,0	5,90
12102-10,5	10,50	133	87,0	4,80

1 21 02	Ø	L ¹	L ²	€
Tuotenro:	mm	mm	mm	Alv 0%
12102-10,6	10,60	133	87,0	6,70
12102-10,7	10,70	142	94,0	6,70
12102-10,8	10,80	142	94,0	7,70
12102-10,9	10,90	142	94,0	7,70
12102-11	11,00	142	94,0	5,10
12102-11,1	11,10	142	94,0	6,70
12102-11,2	11,20	142	94,0	6,70
12102-11,3	11,30	142	94,0	6,70
12102-11,4	11,40	142	94,0	6,70
12102-11,5	11,50	142	94,0	5,30
12102-11,6	11,60	142	94,0	8,00
12102-11,7	11,70	142	94,0	8,00
12102-11,8	11,80	142	94,0	8,00
12102-11,9	11,90	151	101,0	8,00
12102-12	12,00	151	101,0	6,15
12102-12,1	12,10	151	101,0	8,00
12102-12,2	12,20	151	101,0	8,00
12102-12,3	12,30	151	101,0	8,10
12102-12,4	12,40	151	101,0	8,10
12102-12,5	12,50	151	101,0	6,60

1 21 02	Ø	L ¹	L ²	€
Tuotenro:	mm	mm	mm	Alv 0%
12102-12,6	12,60	151	101,0	8,50
12102-12,7	12,70	151	101,0	9,40
12102-12,8	12,80	151	101,0	9,40
12102-12,9	12,90	151	101,0	9,40
12102-13	13,00	151	101,0	6,90
12102-13,2	13,20	151	101,0	9,40
12102-13,5	13,50	160	108,0	8,00
12102-14	14,00	160	108,0	8,90
12102-14,5	14,50	169	114,0	9,70
12102-15	15,00	169	114,0	12,00
12102-15,5	15,50	178	120,0	12,10
12102-16	16,00	178	120,0	13,40
12102-16,5	16,50	184	125,0	14,90
12102-17	17,00	184	125,0	15,40
12102-17,5	17,50	191	130,0	16,60
12102-18	18,00	191	130,0	19,50
12102-18,5	18,50	198	135,0	20,60
12102-19	19,00	198	135,0	22,30
12102-19,5	19,50	205	140,0	24,00
12102-20	20,00	205	140,0	25,20

Kierukkaporat DIN 338 HSS



Tunnus 1 71 02
DIN 338
Malli N
Laatu HSS
Pintakäsittely Kirkas
Valm.menetelmä Hiottu, ristiteroitettu

1 71 02	Ø	L ¹	L ²	€
Tuotenro:	mm	mm	mm	Alv 0%
17102-00,2	0,20	19	2,5	3,80
17102-00,3	0,30	19	3	3,80
17102-00,4	0,40	20	5	3,80
17102-00,5	0,50	22	6	3,80
17102-00,6	0,60	24	7	3,80
17102-00,7	0,70	28	9	3,80
17102-00,8	0,80	30	10	1,90
17102-00,9	0,90	32	11	1,90
17102-01	1,00	34	12	1,90
17102-01,1	1,10	36	14	1,90
17102-01,2	1,20	38	16	1,90
17102-01,3	1,30	38	16	1,90
17102-01,4	1,40	40	18	1,90
17102-01,5	1,50	40	18	1,90
17102-01,6	1,60	43	20	1,90
17102-01,7	1,70	43	20	1,90
17102-01,8	1,80	46	22	1,90
17102-01,9	1,90	46	22	1,90
17102-02	2,00	49	24	1,30
17102-02,1	2,10	49	24	1,30

1 71 02	Ø	L ¹	L ²	€
Tuotenro:	mm	mm	mm	Alv 0%
17102-02,2	2,20	53	27	1,30
17102-02,3	2,30	53	27	1,30
17102-02,4	2,40	57	30	1,30
17102-02,5	2,50	57	30	1,30
17102-02,6	2,60	57	30	1,65
17102-02,7	2,70	61	33	1,65
17102-02,8	2,80	61	33	1,65
17102-02,9	2,90	61	33	1,65
17102-03	3,00	61	33	1,50
17102-03,1	3,10	65	36	1,85
17102-03,2	3,20	65	36	1,85
17102-03,3	3,30	65	36	1,85
17102-03,4	3,40	70	39	1,85
17102-03,5	3,50	70	39	1,85
17102-03,6	3,60	70	39	2,00
17102-03,7	3,70	70	39	2,00
17102-03,8	3,80	75	43	2,00
17102-03,9	3,90	75	43	2,00
17102-04	4,00	75	43	2,00
17102-04,1	4,10	75	43	2,25
17102-04,2	4,20	75	43	2,25
17102-04,3	4,30	80	47	2,25
17102-04,4	4,40	80	47	2,25
17102-04,5	4,50	80	47	2,15
17102-04,6	4,60	80	47	2,55
17102-04,7	4,70	80	47	2,55
17102-04,8	4,80	86	52	2,55
17102-04,9	4,90	86	52	2,55
17102-05	5,00	86	52	2,40
17102-05,1	5,10	86	52	2,70
17102-05,2	5,20	86	52	2,70
17102-05,3	5,30	86	52	3,00
17102-05,4	5,40	93	57	3,00

Jatkuu seuraavalla sivulla.....

Kierukkaporat DIN 338 HSS



Tunnus	1 71 02
DIN	338
Malli	N
Laatu	HSS
Pintakäsittely	Kirkas
Valm.menetelmä	Hiottu, ristiteroitettu

1 71 02	Ø	L ¹	L ²	€
Tuotenro:	mm	mm	mm	Alv 0%
17102-05,5	5,50	93	57	2,65
17102-05,6	5,60	93	57	3,40
17102-05,7	5,70	93	57	3,40
17102-05,8	5,80	93	57	3,40
17102-05,9	5,90	93	57	3,40
17102-06	6,00	93	57	2,95
17102-06,1	6,10	101	63	3,95
17102-06,2	6,20	101	63	3,95
17102-06,3	6,30	101	63	3,95
17102-06,4	6,40	101	63	3,95
17102-06,5	6,50	101	63	3,50
17102-06,6	6,60	101	63	4,25
17102-06,7	6,70	101	63	4,25
17102-06,8	6,80	109	69	4,25
17102-06,9	6,90	109	69	4,25
17102-07	7,00	109	69	3,95
17102-07,1	7,10	109	69	4,80
17102-07,2	7,20	109	69	4,80
17102-07,3	7,30	109	69	4,80
17102-07,4	7,40	109	69	4,80
17102-07,5	7,50	109	69	4,50
17102-07,6	7,60	117	75	5,55
17102-07,7	7,70	117	75	5,55
17102-07,8	7,80	117	75	5,55
17102-07,9	7,90	117	75	5,55
17102-08	8,00	117	75	5,55
17102-08,1	8,10	117	75	6,10
17102-08,2	8,20	117	75	6,10
17102-08,3	8,30	117	75	6,10
17102-08,4	8,40	117	75	6,10
17102-08,5	8,50	117	75	6,10
17102-08,6	8,60	125	81	6,90
17102-08,7	8,70	125	81	6,90
17102-08,8	8,80	125	81	6,90
17102-08,9	8,90	125	81	6,90
17102-09	9,00	125	81	6,90
17102-09,1	9,10	125	81	7,80
17102-09,2	9,20	125	81	7,80
17102-09,3	9,30	125	81	7,80
17102-09,4	9,40	125	81	7,80
17102-09,5	9,50	125	81	7,80
17102-09,6	9,60	133	87	8,80

1 71 02	Ø	L ¹	L ²	€
Tuotenro:	mm	mm	mm	Alv 0%
17102-09,7	9,70	133	87	8,80
17102-09,8	9,80	133	87	8,80
17102-09,9	9,90	133	87	8,80
17102-10	10,00	133	87	8,50
17102-10,1	10,10	133	87	10,40
17102-10,2	10,20	133	87	10,40
17102-10,3	10,30	133	87	10,40
17102-10,4	10,40	133	87	10,40
17102-10,5	10,50	133	87	10,40
17102-10,6	10,60	133	87	11,40
17102-10,7	10,70	142	94	11,40
17102-10,8	10,80	142	94	11,40
17102-10,9	10,90	142	94	11,40
17102-11	11,00	142	94	11,40
17102-11,1	11,10	142	94	13,30
17102-11,2	11,20	142	94	13,30
17102-11,3	11,30	142	94	13,30
17102-11,4	11,40	142	94	13,30
17102-11,5	11,50	142	94	13,30
17102-11,6	11,60	142	94	13,70
17102-11,7	11,70	142	94	13,70
17102-11,8	11,80	142	94	13,70
17102-11,9	11,90	151	101	13,70
17102-12	12,00	151	101	13,70
17102-12,1	12,10	151	101	16,60
17102-12,2	12,20	151	101	16,60
17102-12,3	12,30	151	101	16,60
17102-12,4	12,40	151	101	16,60
17102-12,5	12,50	151	101	16,60
17102-12,6	12,60	151	101	16,75
17102-12,7	12,70	151	101	16,75
17102-12,8	12,80	151	101	16,75
17102-12,9	12,90	151	101	16,75
17102-13	13,00	151	101	16,75
17102-13,5	13,50	160	108	27,30
17102-14	14,00	160	108	36,90
17102-14,5	14,50	169	114	43,75
17102-15	15,00	169	114	52,65
17102-15,5	15,50	178	120	56,20
17102-16	16,00	178	120	57,00

Kierukkaporat DIN 338 HSSCO



Tunnus	1 11 02
DIN	338
Malli	NXC
Laatu	HSS-Co 5%
Pintakäsittely	Keltaoksidointi
Valm.menetelmä	Hiottu, ristiteroitettu

1 11 02	Ø	L ¹	L ²	€
Tuotenumero:	mm	mm	mm	Alv 0%
11102-01	1,00	34	12	2,50
11102-01,1	1,10	36	14	2,50
11102-01,2	1,20	38	16	2,50
11102-01,3	1,30	38	16	2,50
11102-01,4	1,40	40	18	2,50
11102-01,5	1,50	40	18	2,50
11102-01,6	1,60	43	20	2,50
11102-01,7	1,70	43	20	2,50
11102-01,8	1,80	46	22	2,50
11102-01,9	1,90	46	22	2,50
11102-02	2,00	49	24	2,50
11102-02,1	2,10	49	24	3,10
11102-02,2	2,20	53	27	3,10
11102-02,3	2,30	53	27	3,10
11102-02,4	2,40	57	30	3,10
11102-02,5	2,50	57	30	3,10
11102-02,6	2,60	57	30	3,20
11102-02,7	2,70	61	33	3,20
11102-02,8	2,80	61	33	3,20
11102-02,9	2,90	61	33	3,20
11102-03	3,00	61	33	3,20
11102-03,1	3,10	65	36	3,40
11102-03,2	3,20	65	36	3,40
11102-03,3	3,30	65	36	3,40
11102-03,4	3,40	70	39	3,40
11102-03,5	3,50	70	39	3,40
11102-03,6	3,60	70	39	3,90
11102-03,7	3,70	70	39	3,90
11102-03,8	3,80	75	43	3,90
11102-03,9	3,90	75	43	3,90
11102-04	4,00	75	43	3,90
11102-04,1	4,10	75	43	4,30
11102-04,2	4,20	75	43	4,30
11102-04,3	4,30	80	47	4,30
11102-04,4	4,40	80	47	4,30
11102-04,5	4,50	80	47	4,30
11102-04,6	4,60	80	47	4,75
11102-04,7	4,70	80	47	4,75
11102-04,8	4,80	86	52	4,75
11102-04,9	4,90	86	52	4,75
11102-05	5,00	86	52	4,75
11102-05,1	5,10	86	52	5,50
11102-05,2	5,20	86	52	5,50
11102-05,3	5,30	86	52	5,50
11102-05,4	5,40	93	57	5,50
11102-05,5	5,50	93	57	5,50

1 11 02	Ø	L ¹	L ²	€
Tuotenumero:	mm	mm	mm	Alv 0%
11102-05,6	5,60	93	57	5,80
11102-05,7	5,70	93	57	5,80
11102-05,8	5,80	93	57	5,80
11102-05,9	5,90	93	57	5,80
11102-06	6,00	93	57	5,80
11102-06,1	6,10	101	63	7,30
11102-06,2	6,20	101	63	7,30
11102-06,3	6,30	101	63	7,30
11102-06,4	6,40	101	63	7,30
11102-06,5	6,50	101	63	7,30
11102-06,6	6,60	101	63	8,30
11102-06,7	6,70	101	63	8,30
11102-06,8	6,80	109	69	8,30
11102-06,9	6,90	109	69	8,30
11102-07	7,00	109	69	8,30
11102-07,1	7,10	109	69	9,60
11102-07,2	7,20	109	69	9,60
11102-07,3	7,30	109	69	9,60
11102-07,4	7,40	109	69	9,60
11102-07,5	7,50	109	69	9,60
11102-07,6	7,60	117	75	10,50
11102-07,7	7,70	117	75	10,50
11102-07,8	7,80	117	75	10,50
11102-07,9	7,90	117	75	10,50
11102-08	8,00	117	75	10,50
11102-08,1	8,10	117	75	12,10
11102-08,2	8,20	117	75	12,10
11102-08,3	8,30	117	75	12,10
11102-08,4	8,40	117	75	12,10
11102-08,5	8,50	117	75	12,10
11102-08,6	8,60	125	81	13,40
11102-08,7	8,70	125	81	13,40
11102-08,8	8,80	125	81	13,40
11102-08,9	8,90	125	81	13,40
11102-09	9,00	125	81	13,40
11102-09,1	9,10	125	81	15,00
11102-09,2	9,20	125	81	15,00
11102-09,3	9,30	125	81	15,00
11102-09,4	9,40	125	81	15,00
11102-09,5	9,50	125	81	15,00
11102-09,6	9,60	133	87	16,50
11102-09,7	9,70	133	87	16,50
11102-09,8	9,80	133	87	16,50
11102-09,9	9,90	133	87	16,50
11102-10	10,00	133	87	16,50
11102-10,2	10,20	133	87	20,40
11102-10,5	10,50	133	87	20,40
11102-11	11,00	142	94	24,15
11102-11,5	11,50	142	94	26,30
11102-12	12,00	151	101	29,20
11102-12,5	12,50	151	101	33,30
11102-13	13,00	151	101	37,50
11102-13,5	13,50	160	108	40,90
11102-14	14,00	160	108	51,00
11102-14,5	14,50	169	114	72,00
11102-15	15,00	169	114	74,00
11102-15,5	15,50	178	120	79,00
11102-16	16,00	178	120	85,00

Kierukkaporat DIN 338 HSSCO



Tunnus 1 05 02
DIN 338
Malli UFL
Laatu HSS-Co 5%
Pintakäsittely Kirkas
Valm.menetelmä Hiottu

1 05 02	Ø	L ¹	L ²	€
Tuotenumero:	mm	mm	mm	Alv 0%
10502-00,5	0,50	22	6	6,70
10502-01	1,00	34	12	3,50
10502-01,5	1,50	40	18	3,50
10502-02	2,00	49	24	3,50
10502-02,1	2,10	49	24	3,50
10502-02,2	2,20	53	27	3,50
10502-02,3	2,30	53	27	3,50
10502-02,4	2,40	57	30	3,50
10502-02,5	2,50	57	30	3,50
10502-02,6	2,60	57	30	3,60
10502-02,7	2,70	61	33	3,60
10502-02,8	2,80	61	33	3,60
10502-02,9	2,90	61	33	3,60
10502-03	3,00	61	33	3,60
10502-03,1	3,10	65	36	3,80
10502-03,2	3,20	65	36	3,80
10502-03,3	3,30	65	36	3,80
10502-03,4	3,40	70	39	3,80
10502-03,5	3,50	70	39	4,10
10502-03,6	3,60	70	39	4,30
10502-03,7	3,70	70	39	4,30
10502-03,8	3,80	75	43	4,60
10502-03,9	3,90	75	43	4,60
10502-04	4,00	75	43	4,70
10502-04,1	4,10	75	43	4,70
10502-04,2	4,20	75	43	4,70
10502-04,3	4,30	80	47	5,30
10502-04,4	4,40	80	47	5,30
10502-04,5	4,50	80	47	5,30
10502-04,6	4,60	80	47	5,60
10502-04,7	4,70	80	47	5,60
10502-04,8	4,80	86	52	5,90
10502-04,9	4,90	86	52	5,90
10502-05	5,00	86	52	5,90
10502-05,1	5,10	86	52	5,90
10502-05,2	5,20	86	52	5,90
10502-05,3	5,30	86	52	6,50
10502-05,4	5,40	93	57	7,30
10502-05,5	5,50	93	57	7,30
10502-05,6	5,60	93	57	7,30
10502-05,7	5,70	93	57	7,30
10502-05,8	5,80	93	57	7,30
10502-05,9	5,90	93	57	7,60
10502-06	6,00	93	57	7,00
10502-06,1	6,10	101	63	8,20
10502-06,2	6,20	101	63	8,20

1 05 02	Ø	L ¹	L ²	€
Tuotenumero:	mm	mm	mm	Alv 0%
10502-06,3	6,30	101	63	8,20
10502-06,4	6,40	101	63	8,20
10502-06,5	6,50	101	63	8,20
10502-06,6	6,60	101	63	9,00
10502-06,7	6,70	101	63	9,00
10502-06,8	6,80	109	69	9,70
10502-06,9	6,90	109	69	9,70
10502-07	7,00	109	69	9,70
10502-07,1	7,10	109	69	9,70
10502-07,2	7,20	109	69	9,70
10502-07,3	7,30	109	69	10,20
10502-07,4	7,40	109	69	10,20
10502-07,5	7,50	109	69	11,00
10502-07,6	7,60	117	75	11,50
10502-07,7	7,70	117	75	11,50
10502-07,8	7,80	117	75	11,50
10502-07,9	7,90	117	75	11,50
10502-08	8,00	117	75	12,00
10502-08,1	8,10	117	75	12,00
10502-08,2	8,20	117	75	12,00
10502-08,3	8,30	117	75	12,90
10502-08,4	8,40	117	75	12,90
10502-08,5	8,50	117	75	12,90
10502-08,6	8,60	125	81	13,60
10502-08,7	8,70	125	81	13,60
10502-08,8	8,80	125	81	13,60
10502-08,9	8,90	125	81	13,80
10502-09	9,00	125	81	14,40
10502-09,1	9,10	125	81	15,50
10502-09,2	9,20	125	81	15,50
10502-09,3	9,30	125	81	15,50
10502-09,4	9,40	125	81	15,50
10502-09,5	9,50	125	81	15,50
10502-09,6	9,60	133	87	16,60
10502-09,7	9,70	133	87	16,60
10502-09,8	9,80	133	87	16,60
10502-09,9	9,90	133	87	16,60
10502-10	10,00	133	87	17,00
10502-10,2	10,20	133	87	17,50
10502-10,5	10,50	133	87	18,60
10502-11	11,00	142	94	21,80
10502-11,5	11,50	142	94	23,00
10502-12	12,00	151	101	25,00
10502-12,5	12,50	151	101	29,00
10502-13	13,00	151	101	31,00
10502-13,5	13,50	160	108	41,00
10502-14	14,00	160	108	45,00
10502-14,5	14,50	169	114	59,00
10502-15	15,00	169	114	60,00
10502-15,5	15,50	178	120	69,00
10502-16	16,00	178	120	71,00

Kierukkaporat DIN 338 HSS-Co8%



Tunnus	1 12 02
DIN	338
Malli	ZX
Laatu	HSS-Co 8%
Pintakäsittely	Mustaoksidointi + nitraus
Valm.menetelmä	Hiottu, ristiteroitettu
Kärkikulma	135°

1 12 02	Ø	L ¹	L ²	€
Tuoteno:	mm	mm	mm	Alv 0%
11202-01	1,00	34	12	6,90
11202-01,1	1,10	36	14	6,90
11202-01,2	1,20	38	16	6,90
11202-01,3	1,30	38	16	6,90
11202-01,4	1,40	40	18	6,90
11202-01,5	1,50	40	18	6,90
11202-01,6	1,60	43	20	6,90
11202-01,7	1,70	43	20	6,90
11202-01,8	1,80	46	22	6,90
11202-01,9	1,90	46	22	6,90
11202-02	2,00	49	24	6,50
11202-02,1	2,10	49	24	6,20
11202-02,2	2,20	53	27	6,20
11202-02,3	2,30	53	27	6,20
11202-02,4	2,40	57	30	6,70
11202-02,5	2,50	57	30	6,70
11202-02,6	2,60	57	30	6,70
11202-02,7	2,70	61	33	7,20
11202-02,8	2,80	61	33	7,20
11202-02,9	2,90	61	33	7,20
11202-03	3,00	61	33	6,80
11202-03,1	3,10	65	36	7,30
11202-03,2	3,20	65	36	7,30
11202-03,3	3,30	65	36	7,50
11202-03,4	3,40	70	39	8,40
11202-03,5	3,50	70	39	8,10
11202-03,6	3,60	70	39	8,30
11202-03,7	3,70	70	39	8,30
11202-03,8	3,80	75	43	9,20
11202-03,9	3,90	75	43	9,40
11202-04	4,00	75	43	8,90
11202-04,1	4,10	75	43	9,70
11202-04,2	4,20	75	43	9,70
11202-04,3	4,30	80	47	10,00
11202-04,4	4,40	80	47	10,00
11202-04,5	4,50	80	47	9,80
11202-04,6	4,60	80	47	11,40
11202-04,7	4,70	80	47	11,40
11202-04,8	4,80	86	52	11,40
11202-04,9	4,90	86	52	11,40
11202-05	5,00	86	52	11,40
11202-05,1	5,10	86	52	13,00
11202-05,2	5,20	86	52	13,00
11202-05,3	5,30	86	52	13,00
11202-05,4	5,40	93	57	14,50

Käyttökohteet:

Erityisesti sitkeät erikoisteräkset, RST, HST, titaani-seokset, krominikkeliteräkset, myös lasikuitu.

B

1 12 02	Ø	L ¹	L ²	€
Tuoteno:	mm	mm	mm	Alv 0%
11202-05,5	5,50	93	57	13,70
11202-05,6	5,60	93	57	15,00
11202-05,7	5,70	93	57	15,00
11202-05,8	5,80	93	57	15,00
11202-05,9	5,90	93	57	15,00
11202-06	6,00	93	57	14,50
11202-06,1	6,10	101	63	16,70
11202-06,2	6,20	101	63	16,70
11202-06,3	6,30	101	63	16,70
11202-06,4	6,40	101	63	17,90
11202-06,5	6,50	101	63	16,70
11202-06,6	6,60	101	63	17,90
11202-06,7	6,70	101	63	17,90
11202-06,8	6,80	109	69	19,50
11202-06,9	6,90	109	69	19,50
11202-07	7,00	109	69	17,80
11202-07,1	7,10	109	69	23,70
11202-07,2	7,20	109	69	23,70
11202-07,3	7,30	109	69	23,70
11202-07,4	7,40	109	69	23,70
11202-07,5	7,50	109	69	18,50
11202-07,6	7,60	117	75	27,30
11202-07,7	7,70	117	75	27,30
11202-07,8	7,80	117	75	27,30
11202-07,9	7,90	117	75	27,30
11202-08	8,00	117	75	22,00
11202-08,1	8,10	117	75	27,30
11202-08,2	8,20	117	75	27,30
11202-08,3	8,30	117	75	28,50
11202-08,4	8,40	117	75	28,50
11202-08,5	8,50	117	75	22,70
11202-08,6	8,60	125	81	30,00
11202-08,7	8,70	125	81	33,50
11202-08,8	8,80	125	81	35,00
11202-08,9	8,90	125	81	35,00
11202-09	9,00	125	81	29,00
11202-09,1	9,10	125	81	38,40
11202-09,2	9,20	125	81	38,40
11202-09,3	9,30	125	81	41,00
11202-09,4	9,40	125	81	41,00
11202-09,5	9,50	125	81	29,90
11202-09,6	9,60	133	87	41,50
11202-09,7	9,70	133	87	41,50
11202-09,8	9,80	133	87	43,20
11202-09,9	9,90	133	87	43,20
11202-10	10,00	133	87	33,50
11202-10,2	10,20	133	87	46,60
11202-10,5	10,50	133	87	46,70
11202-11	11,00	142	94	58,60
11202-11,5	11,50	142	94	69,00
11202-12	12,00	151	101	70,00
11202-12,5	12,50	151	101	124,00
11202-13	13,00	151	101	100,00